

The background features a light, airy aesthetic with soft, colorful bokeh in shades of pink, orange, and green. Overlaid on this are several faint technical diagrams. In the top right, there is a schematic of a door lock mechanism with various components labeled. In the center, a smaller diagram shows a keyhole and a handle assembly. In the bottom left, a larger diagram depicts a door handle and lock assembly with circular outlines and small circles indicating specific points or components.

Home & Office Lock

Digital Door Lock

Configuration:



ID-100

Features (1):

Encrypted Password

The password is encrypted, which enhance security for the Users. Up to register 10 password of 4-12 figures

Uncopiable Key (TM Key)

Use American DALLAS Company's TM Card, which has the function to keep from Copying and detecting. This lock is convenient to operate by one touch operation

Emergency Opening (Mechanical Key)

User can Mechanical Key to open the door in case of emergency.

Remote Control (optional)

The door can be unlocked by remote control inside room. And the distance is from 0-20m

With exquisite Appearance Design with elegant sound and light

Digital Door Lock

Features (2):

The 12-key buttons are designed to resist the external shock.

Emergency Battery Terminal

When the battery is run out, user can open the door using the emergency battery terminal.

Prevent from Compulsive Opening

When the door is opened abnormally, the system warns an alarm.

Power Cut-Off Function

The power will be cut off in case of entering wrong passwords in 5 consecutive times

Dual Security Mode:

Users can choose the Dual Security Mode. In such Mode, only both use TM Key and Digital can open the door

Dual Security Locking Function

Permanent locking switch is located on the inside unit and provides more strengthen safety.

Low Battery Warning Alarm

When the unit makes beep sound, replace old battery with new one

Incorporated with a ring bell

There is a ring bell on outside body of the lock which provide convenience for the Users

Networked Function (optional)

It has networked function that can connected to the Residential Management Dept. This provides more security for the Residential.

Digital Door Lock

Specification:

Item		Specification
Material		Cast-steel, Cast-iron
Registered TM Key		Up to 10 TM Keys allowed to registered
Passport		4-12 figures, and can re-log at any time
Remote Controller (optional)		One-key type, and can re-log at any time, available distance around 0-20m
Material	Outside Part	Zinc Alloy
	Inside Part	Fireproofing Plastic
Dimension	Outside Unit	298(H) x 61(W) x 31(D) mm
	Inside Unit	298(H) x 75(W) x 40(D) mm
Installed Door		Wooden door, Steel door, Burglarproof door
Thickness of Door		40-50mm (special thickness, please preconcert)
Battery Life		One year (10 times per day) (without remote control)
Working Temperature		-40 ~ 70
Intrude-preventing Sensor		Magnetic sensor with working distance of 1-2cm
Color		Silver Gray, Golden